# a-Synuclein(Phospho-Ser129) Antibody

Catalog No: #AB11171

Package Size: #AB11171-1 50ul #AB11171-2 100ul #AB11171-4 25ul



Orders: order@abscitech.com Support: tech@abscitech.com


#### Description a-Synuclein(Phospho-Ser129) Antibody Product Name Host Species Rabbit Clonality Polyclonal Purification Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy using non-phosphopeptide. WB Applications Species Reactivity Hu Ms Rt Specificity The antibody detects endogenous level of a-Synuclein only when phosphorylated at serine 129. Peptide-KLH Immunogen Type Peptide sequence around phosphorylation site of serine 129 (M-P-S(p)-E-E) derived from Human a-Synuclein. Immunogen Description Target Name a-Synuclein Modification Phospho-Ser129 Other Names NACP; SYN; SYUA Accession No. Swiss-Prot: P37840NCBI Protein: NP\_000336.1 Concentration 1.0mg/ml Formulation Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Storage Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

### Application Details

Predicted MW: 18kd

Western blotting: 1:500~1:1000

#### Images



Western blot analysis of extracts from mouse brain tissue using a-Synuclein(Phospho-Ser129) Antibody #AB11171(Lane 2) and the same antibody preincubated with blocking peptide(Lane1).

## Background

May be involved in the regulation of dopamine release and transport. Soluble protein, normally localized primarily at the presynaptic region of axons, which can form filamentous aggregates that are the major non amyloid component of intracellular inclusions in several neurodegenerative diseases (synucleinopathies). Induces fibrillization of microtubule-associated protein tau. Reduces neuronal responsiveness to various apoptotic stimuli, leading to a decreased caspase-3 activation.

Takahashi T, et al. J Biol Chem 2003 Oct 24; 278(43): 42225-33

Ahn BH, et al. J Biol Chem 2002 Apr 05; 277(14): 12334-42

Negro A, et al. FASEB J 2002 Feb; 16(2): 210-2

Goldberg, et al. Nat. Cell Biol. 2000; 2, 115-119.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.