## Mouse anti-Human CD14, Purified mAb

Catalog No: #AB28050




Orders: order@abscitech.com Support: tech@abscitech.com

Description	Support. teorigaboriteori.com
Product Name	Mouse anti-Human CD14, Purified mAb
Host Species	Mouse
Clonality	Monoclonal
Clone No.	4AW4
Isotype	lgG1
Applications	FC
Species Reactivity	Hu
Target Name	CD14
Concentration	1mg/ml
Formulation	Phosphate-buffered solution, pH 7.4, containing 0.09% sodium azide
Storage	Store at 4°C. DO NOT FREEZE.

## **Application Details**

Notice: This reagent has been pre-diluted for use at recommended volume per test in flow cytometry analysis. Typically add 10ul of this reagent to 100μl of experimental sample with 1 X 106 cells per test. Please refer to the detailed protocol when you perform a test.

## **Images**



Human peripheral blood monocytes analyzed with Purified CD14 mAb, followed by anti-mouse IgGs-PE

## Background

4AW4 reacts with CD14, a 53-55 kDa molecule. CD14 is a human high affinity cell-surface receptor for complexes of lipopolysaccharide (LPS-endotoxin) and serum LPS-binding protein (LPB). CD14 antigen has a strong presence on the surface of monocytes/macrophages, is weakly expressed on granulocytes, but not expressed by myeloid progenitor cells. CD14 functions as a receptor for endotoxin; when the monocytes become activated they release cytokines such as TNF, and up-regulate cell surface molecules including adhesion molecules. This clone is cross reactive with non-human primate.

- 1. Knapp, W et al., eds. (1989) Leucocyte Typing IV: White Cell Differentiation Antigens, Oxford University Press, New York.
- 2. Makgoba, MW et al., (1988) Nature 331: 86-88
- 3. Boyd. AW et al. (1989) Blood 73: 1896-1903

Note: This product is for in vitro research use only and is not intended for use in humans or animals.		